



**DYNAMED**  
Healthcare Incorporated

# PRODUCT LINES 2025

# THANK YOU!

---



# OUR COMPANY

## DYNAMED HEALTHCARE INCORPORATED


is a professional organization primarily engaged in the Marketing, Sales, and distribution of high-quality Hospital equipment, medical disposable, and consumable products.

## DYNAMED HEALTHCARE INCORPORATED

represents a score of leading foreign manufacturers with complete range of quality products, capable of meeting the expectations and needs of our valued customers thus ensure real value for their investments beyond expectation.

## DYNAMED HEALTHCARE INCORPORATED

provides professional after-sales and technical support in accordance with global norms and hospital service protocol.





# OUR FOREIGN BUSINESS PARTNERS





# OUR FOREIGN BUSINESS PARTNERS

## HOSPITAL EQUIPMENT DIVISION



# OUR FOREIGN BUSINESS PARTNERS

## HOSPITAL DISPOSABLE DIVISION



# HEAD OFFICE, BRANCH, AND WAREHOUSE LOCATIONS



## Head Office:

3<sup>rd</sup> Floor, Metrofocus Bldg., 42 Tomas Morato Avenue, Brgy. Kristonghari, Quezon City



## Warehouses:

Claymore Holdings, Inc. 2645 Old Panaderos St., Brgy 890 Zone 098 Sta Ana, Manila



Alicia Street, San Juan City



## Cebu:

Unit 11 Vel-Quano Bldg. M.C Briones street, Highway Bakilid, Mandaue City




## Cagayan de Oro City:

2nd Floor, Ramirez Bldg, R.N. Pelaez Boulevard, Kauswagan, Cagayan de Oro City



## Davao City:

Calamansi Street, Juna Subdivision, Davao City, Davao del Sur





# OUR CORE COMPETENCE










# OUR CORE COMPETENCE

---

1. OPERATING ROOM



# OPERATING THEATER SOLUTION



# OPERATING THEATER SOLUTION



**KM-30  
Series**

## MANUAL OPERATING TABLE



**KM-40  
Series**

## ELECTRIC OPERATING TABLE



**KM-50  
Series**

## WITH ORTHO ATTACHMENTS



# OPERATING THEATER SOLUTION



PD-2009

## DELIVERY BED



Electric Type

\* Mattress, fluid basin and knee crutch is included.

PD-150 /  
250

## ELECTIC GYNE EXAMINATION TABLE



KK  
Series

## TRANSPORT STRETCHER





# OPERATING THEATER SOLUTION



## PENDANT SYSTEM



## OPERATING LIGHT



## OPERATING LIGHT



# OPERATING THEATER SOLUTION

# COMEN

## DEFIBRILLATORS



# NIHON KOHDEN



# OPERATING THEATER SOLUTION



## Cardiac monitors





# OPERATING THEATER SOLUTION


# Electrosurgical Unit



Argon  
Plasma



Ultrasonic



Shockpulse Lithotripter




# OPERATING THEATER SOLUTION

## OLYMPUS



Visera Elite





Evis Exera

# OPERATING THEATER SOLUTION



## Uro Products




# OPERATING THEATER SOLUTION



Visualized Airway Management  
The only wireless Video Laryngoscope

Video laryngoscope iS3



Laryngoscopy \* Brochoscopy  
TCVS \* ENT Procedures

Product Management Group - Hospital Equipment Division

Penlon 





# OPERATING THEATER SOLUTION

## TOF3D – NEUROMUSCULAR MONITOR

THE ALLROUNDER FOR NEUROMUSCULAR MONITORING



- + Tabletop use or mounted to an IV pole
- + Battery powered – 1500 hours continuous operation
- + Simple user interface
- + Alarm management
  - + Set alarm limits for TOF levels
- + Operation via patient monitor
- + Robust, reusable accessories
- + Cost effective



# OPERATING THEATER SOLUTION

MEDCAPTAIN

- Infusion pump
- TIVA pump



**B+MK**  
MEDICAL PACKAGE SOLUTION & EXPORT

- Heavy-duty Suction Machine
- Portable suction machine



# OPERATING THEATER SOLUTION



1. Basket system
2. Sliding door
3. Shelves (Instrument cabinet)
4. Drawers
5. Supporting table
6. Hinged doors
7. Top cabinet
8. Wall mounted x-ray illuminator
9. Computer system
10. X-ray film storage
11. Warming cabinet
12. Refrigerator
13. Time clock
14. Open storage for trolleys/equipments
15. Computer installation



# OPERATING THEATER SOLUTION



Anesthesia cart



Dressing cart



Instrument  
table

Instrument  
cart





# OPERATING THEATER SOLUTION



Scrub sink




Ultrasonic cleaner



Negative pressure



# OPERATING THEATER SOLUTION



## Wound Drainage



# OPERATING THEATER SOLUTION





# OUR CORE COMPETENCE

---

2. INTENSIVE CARE UNIT

# INTENSIVE CARE UNIT SOLUTION



# INTENSIVE CARE UNIT SOLUTION


PARAMOUNT BED 

ISO22196

Global Standard from Japan

**1st Brand of Hospital Bed in the World registered under SIAA!**

**Anti-bacterial material (silver-ion)** is integrated in high-contact resin parts.





# INTENSIVE CARE UNIT SOLUTION

PARAMOUNT BED  type M

Manual  
Bed



Transport  
stretcher



# INTENSIVE CARE UNIT SOLUTION


- Pediatric/Perinatal Bed
- Bassinet
- Dialysis Chair
- Bedside cabinet
- Overbed table



# INTENSIVE CARE UNIT SOLUTION



Pendant system





# INTENSIVE CARE UNIT SOLUTION

Patient monitors



# INTENSIVE CARE UNIT SOLUTION



**Anti-thrombosis  
pump**



**Patient Controlled  
Analgesia (PCA) pump**

MEDCAPTAIN

- Infusion pump
- Syringe pump



# INTENSIVE CARE UNIT SOLUTION

TELSAIR



High flow (HFNC)



Ventilator










# INTENSIVE CARE UNIT SOLUTION



**NEW**  
**ARRIVAL**

Disposable Blade Size				
				
MAC1	MAC2	MAC3	MAC4	High-angulated blade


Parameter	Specifications	Parameter	Specifications
Display	3.5 inch vertical and full perspective screen	Camera	CMOS
Resolution	640*960	Illumination	≥1500lx, h=30mm
Rotating Angle	Front angle : 65° / Back angle: 90°	Color temperature	5500K±10%
Weight	≤200g	Anti-fog	Real-time automatically heating
Immersion protection	IPX8 (whole device)	Battery time	240 minutes
Camera resolution	1000,000 pixels	Blade size	MAC 1,2,3,4, T-Blade

# INTENSIVE CARE UNIT SOLUTION

- The MIRUS™ is an electronic anaesthetic vaporiser that enables the user to administer a defined concentration of volatile anaesthetic (VA) to a patient



# INTENSIVE CARE UNIT SOLUTION





# COMPREHENSIVE NICU SOLUTION



# COMPREHENSIVE NICU SOLUTION

MEDCAPTAIN

- Infusion pump
- Syringe pump
- Vein Illuminator

insighters  
Trust in sight

as human, for human  
PARAMOUNT BED



Video  
Laryngoscope





# OUR CORE COMPETENCE

## 3. EMERGENCY ROOM



# ER/TRAUMA SOLUTION

PK Series

## TRAUMA STRETCHER

C-ARM AND X-RAY COMPATIBLE



as human, for human

PARAMOUNT BED

KK Series

## TRANSPORT STRETCHER



# ER/TRAUMA SOLUTION



- Vital Signs monitor
- Patient monitors
- Transport monitor
- 3-Channel ECG Machines
- 12-Channel ECG Machine



# ER/TRAUMA SOLUTION

# MEDCAPTAIN



# NEW ARRIVAL



Vitavue 12

## Compact Design

With an integral carry-handle  
Modern, thin, light weight and portable

## Vitavue Series Patient Monitor



## Rechargeable Lithium Battery

Support continuous working  
2 hours (2600mAh), 4 hours (5200mAh)\*


## Instant Upgrades and Maintenance

Optimized structural design for USB/HDMI ports  
For quick and easy data transfer, software upgrade,  
screen sharing, and nurse call station connections.



## WiFi with smart IT solutions

Wireless integration with Central Monitoring Station  
Dynamic trends provide up to 240 hours of useful information for review  
8 traces per monitor and 16 monitors on one screen  
View up to 32 monitors tied on one platform in real-time  
Review and manage patient data anytime and anywhere in and pre-hospital



## 3/5/12 Leads ECG

Optimized for arrhythmia detection, pacemaker detection,  
and HR measurement.  
A kinds of filtering mode: diagnosis, monitoring and execution.

## Arrhythmia analysis (ST segment included)

Asystole, Pause, VT/VTAC ... 25 arrhythmias can be analyzed

## NIBP Module

Designed for cardiac patients, hypertensive patients, and neonatal patients.  
Built CPU and overpressure protection.  
Provides 30 automatic measurement times pre-inflation pressure settings.  
Supports air leakage detection, pressure calibration and pressure zero function.

## Main-stream and Side-stream EtCO2

World class main-stream and side-stream EtCO2 technology,  
especially accurate for micro-stream situation, and up to 150 BPM  
detection for patients with weak respiration and high respiratory rate.



# ER/TRAUMA SOLUTION



## BP Apparatus

## Laryngoscope



## Sphygmomanometer

- Infusion pump
- Syringe pump



## Vein Illuminator





# ER/TRAUMA SOLUTION

## Defibrillators



- **Semi/Fully Automated External Defibrillator (AED)**



# INTENSIVE CARE UNIT SOLUTION



NEW  
ARRIVAL

Disposable Blade Size				
MAC1	MAC2	MAC3	MAC4	High-angulated blade

Parameter	Specifications	Parameter	Specifications
Display	3.5 inch vertical and full perspective screen	Camera	CMOS
Resolution	640*960	Illumination	≥1500lx, h=30mm
Rotating Angle	Front angle : 65° / Back angle: 90°	Color temperature	5500K±10%
Weight	≤200g	Anti-fog	Real-time automatically heating
Immersion protection	IPX8 (whole device)	Battery time	240 minutes
Camera resolution	1000,000 pixels	Blade size	MAC 1,2,3,4, T-Blade

# ER/TRAUMA SOLUTION



- **Curtain rack**
- **Portable suction machine**



**iS3-L**  
**Video**  
**Laryngoscope**



**Video Rigid**  
**Laryngoscope**




# CSSD SOLUTION





# CSSD SOLUTION

## GENERAL CSSD DESIGN CONCEPT




# CSSD SOLUTION

## GUIDELINES FOR CSSD DESIGN – access from one side.

- By creating an U-shape workflow you often can solve the CSSD design

Goods flow






# CSSD SOLUTION

## GUIDELINES FOR CSSD DESIGN – access from two or three sides.

- By creating an U-shape workflow you often can solve the CSSD design

Goods flow



# CSSD SOLUTION

**BIOBASE**



## Automatic Washer Disinfector



  
AVAILABLE  
**AWD655-10AD**  
Double  
auto door





# CSSD SOLUTION

## Autoclave machines (Steam Sterilizer)

**DELTA CLAVE** S-1000 / S-2000



**BIOBASE**

Table top



# PRODUCTS



## HIGH PRESSURE STEAM STERILIZER

**DELTA CLAVE**  
Table-top



MODEL	DELTA CLAVE S-200	DELTA CLAVE S-410	DELTA CLAVE S-600
Overall size	500(W)×370(H)×640(L)mm	580(W)×430(H)×640(L)mm	620(W)×480(H)×840(L)mm
Chamber size	Ø250mm × 450(L)mm, Cylindrical, 22L	310(W) × 310(W) × 450(L)mm, Rectangular, 43L	Ø350mm × 650(L)mm, Cylindrical, 63L
Chamber material	Stainless steel	Stainless steel	Stainless steel
Temperature Range	110°C ~ 135°C	110°C ~ 135°C	110°C ~ 135°C



**AMS** DELTAMS Corp.

# CSSD SOLUTION

## Gas Sterilizers

### Ethylene Oxide Sterilizers (ETO)



Model
SQ-H80
SQ-H120
SQ-H220
SQ-H330




Model
SQ-XH120
SQ-XH220



### Plasma Sterilizers

BM-150L





# CSSD SOLUTION



# CSSD SOLUTION



**Heavy-duty Ultrasonic cleaner**  
**80L-100L**



**Portable Ultrasonic cleaner**  
**10L, 20L**



# CSSD SOLUTION

## Cleaning detergents & disinfectants







# OB-GYNE SOLUTION

# DELIVERY BED




## PD-100 MANUAL




## PD-200 ELECTRIC




# MORE PRODUCTS



**BASSINET**



**PEDIATRIC STRETCHER**



**TRANSPORT STRETCHER**






# EXAMINATION TABLE



## PD-150 MANUAL



## PD-250 ELECTRIC



# Solutions

## C6/C6 HD One Stop Solution



T-Shape Rolling stand



Swing Arm Stand

# Solutions

## C6A/C6A HD Flexible Solution



T Shape Rolling  
Stand



Swing Arm Stand  
(basic)



Swing Arm Stand  
(with PC tray)




Swing Arm Stand  
(with monitor arm)



Swing Arm Stand (full  
set)



# FETAL AND MATERNAL MONITOR



# HYSTEROSCOPY SYSTEM

## **OLYMPUS**



Visera Elite

# GYNAECOLOGIC CRYOSURGERY



- Power requirements
  - Power 100÷240 V (50/60 Hz) AC
  - Maximum power consumption 150 VA
- Cooling medium
  - CO<sub>2</sub> -78°C or N<sub>2</sub>O -89°C
  - Maximum pressure 70 bars (CO<sub>2</sub>) and 55 bars (N<sub>2</sub>O)
  - Working pressure 48÷65 bars (CO<sub>2</sub>), 38-53 bars (N<sub>2</sub>O)
- LCD screen (touch)
- Voice information system (information about key figures during procedure)
- Comfortable foot switch controller (dual function).
- Automatic/Manual control of the flow rate parameters
- Automatic gas pressure control
- Freezing temperature indicator
- automatic working modes (stop, preparation, ready, freezing, cleaning)
- Cryoprobe information system (information about type of probe used, number of treatments left for the specific probe)



# ULTRASOUND MACHINES



## PORTABLE TYPE – AX3



## CONSOLE TYPE – LX9



# RADIOLOGY & IMAGING




# MRI COMPATIBLE EQUIPMENTS & DISPOSABLE



PATIENT MONITOR



ELECTRODES



LARYNGOSCOPE



ANESTHESIA MACHINE





# THANK YOU!



[PRODUCTMGMT@DYNAMEDHEALTHCARE.COM](mailto:PRODUCTMGMT@DYNAMEDHEALTHCARE.COM)



[HTTPS://DYNAMED.PH/BETA/](https://dynamed.ph/beta/)



8252 5037 | 0917 708 4823